



## Scentinel® E Gas Odorant

Version 2.2

Revision Date 2023-09-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product information

Product Name : Scentinel® E Gas Odorant  
 Material : 1129545, 1123217, 1106808, 1086435, 1086434, 1095112, 1079767, 1064505, 1098464, 1098226, 1024677, 1024673, 1034741, 1024674, 1024676, 1024678, 1024780, 1024782, 1024781, 1024778, 1024783, 1036153, 1024779, 1024675, 1105014

**Company** : Chevron Phillips Chemical Company LP  
 Specialty Chemicals  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

#### Emergency telephone:

##### Health:

866.442.9628 (North America)  
 1.832.813.4984 (International)

##### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
 Mexico CHEMTREC 01-800-681-9531 (24 hours)  
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
 Argentina: +(54)-1159839431  
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
 Belgium: 070 245 245 (24 hours/day, 7 days/week)  
 Bulgaria: +359 2 9154 233  
 Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
 Cyprus: 1401  
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
 Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212  
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Rīga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**ODOR-FADE WARNING**

**A GAS LEAK CAN CAUSE A FIRE OR EXPLOSION RESULTING IN SERIOUS INJURY OR DEATH.**

Be aware that the stenching chemical added to gas to make it detectable may not warn of a gas leak or the presence of propane or natural gas to all persons in every instance.

Instances where the odorant in an odorized gas may be undetectable include:

- Odor intensity may fade or be eliminated for a variety of chemical and physical causes, including the oxidation of rusting pipes, adsorption into or sticking onto the interior of pipes or appliances, or absorption into liquids.
- Contact with soil in underground leaks may de-odorize or remove odorant from the gas.
- Some people have a diminished ability, or inability to smell the stench. Factors that negatively affect a person's sense of smell include age, gender, medical conditions, and alcohol/tobacco usage.
- The stench of odorized gas may not awaken sleeping persons.
- Other odors may mask or hide the stench.
- Exposure to the odor for even a short period of time, may cause nasal fatigue, where a person can no longer smell the stench.

Gas detectors listed by the Underwriters Laboratories (UL) can be used as an extra measure of safety for detecting gas leaks, especially under conditions where the odorant alone may not provide an adequate warning. Gas detectors emit a loud, shrill sound when gas is present and do not depend on sense of smell. Because the odor intensity can fade or people may have problems with their sense of smell, we recommend installing, per manufacturer's instructions, one or more combustible gas detectors, in suitable locations to ensure adequate coverage to detect gas leaks.

Educate yourself, your employees, and your customers with the content of this warning and other important facts associated with the so-called "odor-fade phenomenon."

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**Classification**

: Flammable liquids, Category 2  
 Eye irritation, Category 2B  
 Skin sensitization, Category 1

**Labeling**

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H225: Highly flammable liquid and vapor.  
 H317: May cause an allergic skin reaction.  
 H320: Causes eye irritation.

Precautionary Statements

: **Prevention:**  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P233 Keep container tightly closed.  
 P240 Ground/bond container and receiving equipment.  
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P363 Wash contaminated clothing before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

Symptoms of Overexposure : No data available

**Carcinogenicity:**

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : Mercaptan Mixture  
Gas Odorant

Molecular formula : Mixture

Component	CAS-No.	Weight %
t-Butyl Mercaptan	75-66-1	75 - 80
Isopropyl Mercaptan	75-33-2	13 - 18
n-Propyl Mercaptan	107-03-9	3 - 8

**SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**Notes to physician**

Symptoms : No data available.

Risks : No data available.

Treatment : No data available.

**SECTION 5: Firefighting measures**

Flash point : -18°C (0°F)  
estimated

Autoignition temperature : 200°C (392°F)

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Suitable extinguishing media	: Alcohol-resistant foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical.
Unsuitable extinguishing media	: High volume water jet.
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Fire and explosion protection	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	: Carbon oxides. Sulfur oxides.

**SECTION 6: Accidental release measures**

Personal precautions	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
For additional details, see the Exposure Scenario in the Annex portion	

**SECTION 7: Handling and storage****Handling**

Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or
-------------------------	--

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection  
against fire and explosion

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**Storage**

Requirements for storage  
areas and containers

: No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8: Exposure controls/personal protection****Ingredients with workplace control parameters****Chevron Phillips Chemical Company LP**

Components	Basis	Value	Control parameters	Note
t-Butyl Mercaptan	Manufacturer	TWA	0.5 ppm,	

**US**

Components	Basis	Value	Control parameters	Note
n-Propyl Mercaptan	NIOSH REL	C	0.5 ppm, 1.6 mg/m3	

**Engineering measures** Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection

: If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

For additional details, see the Exposure Scenario in the Annex portion

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Physical state : liquid
- Color : Clear
- Odor : Repulsive

**Safety data**

- Flash point : -18°C (0°F)  
estimated
- Lower explosion limit : 1.4 %(V)
- Upper explosion limit : 12.5 %(V)
- Oxidizing properties : no
- Autoignition temperature : 200°C (392°F)
- Thermal decomposition : No data available
- Molecular formula : Mixture
- Molecular weight : Not applicable
- pH : Not applicable
- Pour point : No data available
- Boiling point/boiling range : 57-60°C (135-140°F)

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Vapor pressure	: 48.00 kPa at 38°C (100°F)
Relative density	: 0.81 at 16 °C (61 °F)
Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Viscosity, kinematic	: No data available
Relative vapor density	: 2 (Air = 1.0)
Evaporation rate	: > 1 (N-Butyl Acetate = 1)
Percent volatile	: > 99 %
Conductivity	: No data available

**SECTION 10: Stability and reactivity**

<b>Reactivity</b>	: Stable under recommended storage conditions.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Hazardous reactions: Hazardous polymerization does not occur. Hazardous reactions: Vapors may form explosive mixture with air.
<b>Conditions to avoid</b>	: Heat, flames and sparks.
<b>Materials to avoid</b>	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Thermal decomposition</b>	: No data available
<b>Hazardous decomposition products</b>	: Carbon oxides Sulfur oxides
<b>Other data</b>	: No decomposition if stored and applied as directed.

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**SECTION 11: Toxicological information****Scentinel® E Gas Odorant****Acute oral toxicity**: Acute toxicity estimate: 3,842 mg/kg  
Method: Calculation method**Scentinel® E Gas Odorant****Acute inhalation toxicity**: Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method**Scentinel® E Gas Odorant****Acute dermal toxicity**: Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method**Scentinel® E Gas Odorant****Skin irritation**

: May cause skin irritation and/or dermatitis.

**Scentinel® E Gas Odorant****Eye irritation**

: Mild eye irritation.

**Scentinel® E Gas Odorant****Sensitization**

: Causes sensitization. largely based on animal evidence.

**Repeated dose toxicity**

t-Butyl Mercaptan

: Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation  
Dose: 9, 97, 196 ppm  
Exposure time: 13 wks  
Number of exposures: 6 hrs/d, 5 d/wk  
NOEL: > 196 ppm

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Isopropyl Mercaptan

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Exposure time: 42-53 days  
 Number of exposures: Daily  
 NOEL: 50 mg/kg bw/day  
 Lowest observable effect level: 200 mg/kg bw/day  
 Method: OECD Guideline 422

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: Inhalation  
 Dose: 25.1, 99.6, 403.4 ppm  
 Exposure time: 13 wks  
 Number of exposures: 6 hrs/d, 5 d/wk  
 NOEL: 99.6 ppm  
 Lowest observable effect level: 403.4 ppm  
 Method: OECD Guideline 413  
 Target Organs: Liver, Kidney, Blood, Upper respiratory tract  
 Information given is based on data obtained from similar substances.

Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Exposure time: 13 wks  
 Number of exposures: 6hrs/d, 5 d/wk  
 NOEL: 0.367 mg/l 99.6 ppm  
 Lowest observable effect level: 1.488 mg/l 403.4 ppm  
 Method: OECD Test Guideline 413  
 Target Organs: Liver, Kidney, Upper respiratory tract, Blood  
 Information given is based on data obtained from similar substances.

Species: Rat, male and female  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Exposure time: 42-53 days  
 Number of exposures: Daily  
 NOEL: 50 mg/kg  
 Lowest observable effect level: 200 mg/kg  
 Method: OECD Guideline 422  
 Target Organs: Liver, Blood  
 Information given is based on data obtained from similar substances.

Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Exposure time: 13 wks  
 Number of exposures: 6hrs/d, 5 d/wk

NOEL:  $\geq$  196 ppm  
 Method: OECD Test Guideline 413  
 Target Organs: Kidney, Upper respiratory tract, Blood  
 Information given is based on data obtained from similar substances.

n-Propyl Mercaptan

Species: Rat, male and female

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Sex: male and female  
Application Route: Inhalation  
Dose: 9, 97, 196 ppm  
Exposure time: 13 wks  
Number of exposures: 6 hrs/d, 5 d/wk  
NOEL: 196 ppm  
Method: OECD Test Guideline 413  
Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

t-Butyl Mercaptan	<p>: Test Type: Ames test          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 471          Result: negative</p> <p>Test Type: Mouse lymphoma assay          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 476          Result: negative</p> <p>Test Type: Sister Chromatid Exchange Assay          Metabolic activation: with and without metabolic activation          Result: negative</p>
Isopropyl Mercaptan	<p>Test Type: reverse mutation assay          Test system: Salmonella typhimurium          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 471          Result: negative</p> <p>Test Type: Mouse lymphoma assay          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 490          Result: negative</p> <p>Test Type: Micronucleus test          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 487          Result: negative</p> <p>Test Type: Ames test          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 471          Result: negative</p>
n-Propyl Mercaptan	<p>Test Type: Cytogenetic assay          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 473          Result: negative</p> <p>Test Type: Mouse lymphoma assay          Metabolic activation: with and without metabolic activation          Method: OECD Test Guideline 476          Result: negative</p> <p>Remarks: Information given is based on data obtained from similar substances.</p>

**Genotoxicity in vivo**

t-Butyl Mercaptan	<p>: Test Type: Mouse micronucleus assay          Species: Mouse          Dose: 1250, 2500, 5000 mg/kg          Method: OECD Test Guideline 474          Result: negative</p>
-------------------	---

**Reproductive toxicity**

t-Butyl Mercaptan	<p>: Species: Rat          Sex: male and female</p>
-------------------	---

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**Isopropyl Mercaptan**

Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Number of exposures: Daily  
 Test period: 42 -53 days  
 Method: OECD Guideline 422  
 NOAEL Parent: 200 mg/kg bw/day  
 NOAEL F1: 50 mg/kg bw/day  
 No adverse effects expected

Species: Rat

Sex: male and female

Application Route: oral gavage

Dose: 10, 50, 200 mg/kg/bw

Exposure time: 42 d

Number of exposures: Daily

Method: OECD Guideline 422

NOAEL Parent: &gt;= 200 mg/kg

NOAEL F1: 50 mg/kg

Information given is based on data obtained from similar substances.

No adverse effects expected

**Developmental Toxicity****t-Butyl Mercaptan**

: Species: Mouse

Application Route: Inhalation

Dose: 11, 99, 195 ppm

Exposure time: GD 6-16

Number of exposures: 6 hrs/d

NOAEL Teratogenicity: &gt; = 195 ppm

NOAEL Maternal: &gt; = 195 ppm

Species: Rat

Application Route: Inhalation

Dose: 11, 99, 195 ppm

Exposure time: GD6-19

Number of exposures: 6 hrs/d

NOAEL Teratogenicity: &gt; =195 ppm

NOAEL Maternal: &gt; = 195 ppm

Species: Rat

Application Route: oral gavage

Dose: 10, 50, 200 mg/kg bw/day

Exposure time: 42-53 days

Number of exposures: Daily

NOAEL Teratogenicity: 50 mg/kg bw /day

NOAEL Maternal: 200 mg/kg bw /day

**Isopropyl Mercaptan**

Species: Rat

Application Route: Inhalation

Dose: 11, 99, 195 ppm

Exposure time: 6h/d

Test period: GD 9 - 19

Method: OECD Guideline 414

NOAEL Teratogenicity: &gt;= 195 ppm

NOAEL Maternal: &gt;= 195 ppm

Information given is based on data obtained from similar substances.

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Species: Mouse  
 Application Route: Inhalation  
 Dose: 11, 99, 195 ppm  
 Exposure time: 6h/d  
 Test period: GD 9 - 19  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity:  $\geq$  195 ppm  
 NOAEL Maternal:  $\geq$  195 ppm  
 Information given is based on data obtained from similar substances.

**Scentinel® E Gas Odorant  
Aspiration toxicity**

: May be harmful if swallowed and enters airways.

**CMR effects**

t-Butyl Mercaptan

: Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Isopropyl Mercaptan

Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

n-Propyl Mercaptan

Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments., No toxicity to reproduction

**Scentinel® E Gas Odorant  
Further information**

: Solvents may degrease the skin.

**SECTION 12: Ecological information****Toxicity to fish**

t-Butyl Mercaptan

: LC50: 34 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 semi-static test Method: OECD Test Guideline 203

Isopropyl Mercaptan

LC50: 34 mg/l  
 Exposure time: 96 h  
 semi-static test Analytical monitoring: yes  
 Method: OECD Test Guideline 203  
 Information given is based on data obtained from similar substances.

n-Propyl Mercaptan

LC50: 1.3 mg/l

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Exposure time: 96 h  
 Species: Pimephales promelas (fathead minnow)  
 semi-static test Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 203  
 Toxic to aquatic organisms.

**Toxicity to daphnia and other aquatic invertebrates**

t-Butyl Mercaptan : EC50: 6.7 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 static test Method: OECD Test Guideline 202

Isopropyl Mercaptan EC50: 0.25 - 0.5 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 static test Test substance: yes  
 Method: OECD Test Guideline 202

n-Propyl Mercaptan EC50: 70 µg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 202  
 Very toxic to aquatic organisms.

**Toxicity to algae**

t-Butyl Mercaptan : EC50: 24 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (green algae)  
 Method: OECD Test Guideline 201

Isopropyl Mercaptan ErC50: 21.9 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (green algae)  
 static test Method: OECD Test Guideline 201

n-Propyl Mercaptan ErC50: 3 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (algae)  
 Growth inhibition Method: OECD Test Guideline 201  
 Information given is based on data obtained from similar substances.

**M-Factor**

propane-2-thiol	M-Factor (Acute Aquat. Tox.)	1
	M-Factor (Chron. Aquat. Tox.)	1
propane-1-thiol	M-Factor (Acute Aquat. Tox.)	10
	M-Factor (Chron. Aquat. Tox.)	10

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**Toxicity to bacteria**

Isopropyl Mercaptan : EC50: 880.5 mg/l  
 Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209

n-Propyl Mercaptan : EC50: 880.5 mg/l  
 Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209  
 Information given is based on data obtained from similar substances.

Biodegradability : Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

Elimination information (persistence and degradability)

Bioaccumulation

t-Butyl Mercaptan : Bioconcentration factor (BCF): 12  
 Method: QSAR modeled data  
 This material is not expected to bioaccumulate.

Isopropyl Mercaptan : Bioconcentration factor (BCF): 6  
 Method: QSAR modeled data  
 This material is not expected to bioaccumulate.

n-Propyl Mercaptan : Bioconcentration factor (BCF): 7.26  
 This material is not expected to bioaccumulate.

Mobility

t-Butyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model  
 The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

Isopropyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model  
 The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

n-Propyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model  
 The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

Results of PBT assessment

t-Butyl Mercaptan : Non-classified PBT substance, Non-classified vPvB substance :

Isopropyl Mercaptan : Non-classified PBT substance, Non-classified vPvB substance :

n-Propyl Mercaptan : Non-classified PBT substance, Non-classified vPvB substance

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Additional ecological information : Very toxic to aquatic life with long lasting effects.  
**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard  
 t-Butyl Mercaptan : Toxic to aquatic life.  
 Isopropyl Mercaptan : Very toxic to aquatic life.  
 n-Propyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard  
 t-Butyl Mercaptan : Toxic to aquatic life with long lasting effects.  
 Isopropyl Mercaptan : Very toxic to aquatic life with long lasting effects.  
 n-Propyl Mercaptan : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

For additional details, see the Exposure Scenario in the Annex portion

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II, (-18 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

33, UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II, ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN)

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (TERTIARY BUTYL MERCAPTAN, ISOPROPYL MERCAPTAN), 3, II, ENVIRONMENTALLY HAZARDOUS

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitization  
Serious eye damage or eye irritation

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable : This material does not contain any components with a section

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

Quantity 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations**

Pennsylvania Right To Know : t-Butyl Mercaptan - 75-66-1  
Isopropyl Mercaptan - 75-33-2  
n-Propyl Mercaptan - 107-03-9

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Notification status**

Europe REACH : This product is in full compliance according to REACH  
Switzerland CH INV : regulation 1907/2006/EC.  
United States of America (USA) : On the inventory, or in compliance with the inventory  
On or in compliance with the active portion of the

**Scentinel® E Gas Odorant**


Version 2.2

Revision Date 2023-09-18

TSCA	:	TSCA inventory
Canada DSL	:	All components of this product are on the Canadian
Australia AIC	:	DSL
Japan ENCS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
		A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
		On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECS	:	

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
Fire Hazard: 3  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 93850

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals

**Scentinel® E Gas Odorant**

Version 2.2

Revision Date 2023-09-18

EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
	Less Than or Equal To		Workplace Hazardous Materials Information System
<=	Lethal Concentration 50%	WHMIS	Acute toxicity estimate
LC50		ATE	



#### ODOR-FADE WARNING

**A GAS LEAK CAN CAUSE A FIRE OR EXPLOSION RESULTING IN SERIOUS INJURY OR DEATH.**

Be aware that the stenching chemical added to gas to make it detectable may not warn of a gas leak or the presence of propane or natural gas to all persons in every instance. Instances where the odorant in an odorized gas may be undetectable include:

- Odor intensity may fade or be eliminated for a variety of chemical and physical causes, including the oxidation of rusting pipes, adsorption into or sticking onto the interior of pipes or appliances, or absorption into liquids.
- Contact with soil in underground leaks may de-odorize or remove odorant from the gas.
- Some people have a diminished ability, or inability to smell the stench. Factors that negatively affect a person's sense of smell include age, gender, medical conditions, and alcohol/tobacco usage.
- The stench of odorized gas may not awaken sleeping persons.
- Other odors may mask or hide the stench.
- Exposure to the odor for even a short period of time, may cause nasal fatigue, where a person can no longer smell the stench.

Gas detectors listed by the Underwriters Laboratories (UL) can be used as an extra measure of safety for detecting gas leaks, especially under conditions where the odorant alone may not provide an adequate warning. Gas detectors emit a loud, shrill sound when gas is present and do not depend on sense of smell. Because the odor intensity can fade or people may have problems with their sense of smell, we recommend installing, per manufacturer's instructions, one or more combustible gas detectors, in suitable locations to ensure adequate coverage to detect gas leaks. Educate yourself, your employees, and your customers with the content of this warning and other important facts associated with the so-called "odor-fade phenomenon".